

## ULTRAFAB HPU

### Finish Features:

- Ready to use hydrophilic PU for cellulosic & synthetic blends
- Hydrophilic polyurethane silicone with excellent wicking rate, water absorbency and fast dry property particularly in linens.
- Reduction of pilling
- Soft, super absorbent & elastic finishes
- Good shrink resistance & elastic recovery

### Application Features:

- On 100% cotton woven and blends
- Exhaust application (garment washing )
- Padding application (wet on wet and dry on wet)
- Compatible with cationic and non-ionic finishing agents

### Dosage Recommendation:

<b><u>On 100% Cotton Woven/Knits</u></b>	
<b>By Padding</b> On 100% Cotton Knits/ Wovens Dosage : 15-25 gpl  On Polyester Dosage : 5-10 gpl	<b>Process Conditions:</b> pH: 5-5.5 Temperature: <40°C Drying Temperature: 120-140°C  pH: 5-5.5 Temperature: <40°C Drying Temperature: 160-180°C

<b>By Padding</b>	<b>Process Conditions:</b>
On 100% Cotton Knits/ Wovens Dosage : 10-15 gpl	pH: 5-5.5 Temperature: <40°C Drying Temperature: 120-140°C
On Polyester Dosage : 5-7.5 gpl	pH: 5-5.5 Temperature: <40°C Drying Temperature: 160-180°C